

IKO MACH TWO

PRODUCT INFORMATION

IKO Mach Two is an SBS modified bitumen membrane with a polyester carrier. It has an upper surface finish of mineral and a fleece finish to the underside.

Surface	Product Code
Black	62191524
Brown	62191526
Green	62191522

USE

IKO Mach Two is a bituminous single-ply waterproofing membrane for use as either a partially bonded system using a specified IKO polyurethane adhesive, or as a mechanically-fastened system.

The product must be applied by an IKO trained and assessed Approved Installer, working for a registered IKO Approved Contractor in the IKO Mach Two system. All work must be undertaken in accordance with the requirements of the specific information given with the IKO Specification document.

INDEPENDENT ACCREDITATION



2797-CPD-537586



The product carries a Declaration of Performance Certificate, and an Agreement Certificate 00/3760.

FEATURES & BENEFITS

- Single layer solution** – Robust bituminous single ply
- Flame free application** – PU adhered or mechanically fixed, laps secured using hot air welders;
- High specification** – Comprehensive guarantees available covering materials, workmanship and design

COMPOSITION

Composition:	SBS
Carrier:	Polyester
Form:	Roll
Colour:	Black, Brown, Green
Length:	7.5m
Width:	1m
Mass/Weight:	5.4Kg/m ²
Roll Weight:	40.5kg
Surface Finishes:	Mineral (upper) Fleece (lower)
Selvedge:	120mm (upper)

PERFORMANCE

For key product performance characteristics, please refer to the IKO Declaration of Performance (DoP)

INSTALLATION

Membrane Bond:	Adhesive Bond Mechanical Fixing
Lap Bond:	Hot Air Weld

DISCLAIMER

As this product is utilised within an Approved Contractor network and guided by an IKO Specification document, where omission or differing information exists the IKO Specification document will take precedence.

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.