

UPXL T-O CAP SHEET

PRODUCT INFORMATION

UPXL Torch-On (T-O) Cap Sheet is polyester reinforced, graphite coated SBS modified bitumen with a granular mineral upper surface and a thermo-fusible film to the underside.

Surface	Product Code
Black	64610005
Red <small>(made to order)</small>	64620005

USE

IKO UPXL Torch-On Cap Sheet is suitable as the cap sheet layer within a **UPXL Guardian Roof Waterproofing System**.

The product must be applied by an IKO trained and assessed Approved Installer, working for a registered IKO Approved Contractor in the **UPXL** system. All work must be undertaken in accordance with the requirements of the specific information given with the IKO Specification document.

INDEPENDENT ACCREDITATION



0086-CPD-537586



The product carries a Declaration of Performance Certificate, and an Agreement Certificate 15/5238.

FEATURES & BENEFITS

High performance - optimum SBS polymer content for unrivalled flexibility and workability

Fire performance - graphite coated to give exceptional fire resistance properties

High specification - comprehensive guarantees available covering materials, workmanship and design

PERFORMANCE & COMPOSITION

Composition:	SBS
Form:	Roll
Colour:	Black, Red <small>(made to order)</small>
General Dimension Data	
Length:	8m
Width:	1m
Mass/Weight:	5.75Kg/m ²
Roll Weight:	46Kg
Carrier:	Polyester

Performance Data

External Fire Performance

(EN 13501-5): Broof t4

Maximum Tensile Force

(EN 12311-1):

Longitudinal >900N/50mm

Transverse >900N/50mm

Elongation (EN 12311-1):

Longitudinal >25%

Transverse >35%

Tear Resistance - Nail:

Longitudinal >300N

Transverse >300N

Flexibility at low temperature

(EN 1109): <-25 °C

Installation Method

Membrane Bond: Torch applied

Lap Bond: Torched

DISCLAIMER

As this product is utilised within an Approved Contractor network and guided by an IKO Specification document, where omission or differing information exists the IKO Specification document will take precedence.

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.