

IKO glass Fleece 225

Description:

IKO glass Fleece 225 is a fleece made of glass fibers with a density of 225 $\mbox{g/m}^2.$

Use:

IKO glass Fleece 225 is used as reinforcing fleece when applying the IKO teknotan Balcony and IKO tanetech Roof liquid waterproofing systems.

Thanks to its high tear resistance, IKO glass Fleece 225 ensures a durable waterproofing.

IKO glass Fleece 225 also has a thickness control function when applying the first layer of the waterproofing membrane.

Colour:

White

Packaging:

90m x 1,25m roll in cardboard box (item number 05225711)

90m x 0,3m roll (item number 05225713)

20m x 1,25m roll (item number 0525712)

Storage:

Unlimited in the hermetically sealed packaging, when stored in a dry, cool and frost-free place.

90m x 1,25m: store in horizontal position and without wrinkles.

 $90m\ x\ 0,3$ and $20m\ x\ 1,25m\ roll:$ store in vertical position and without wrinkles.

Certificates:



The technical information regarding the application of liquid waterproofing products supplied by IKO is provided in good faith on the basis of IKO's current know-how and experience, and assumes that these products will be used in accordance with the above-mentioned recommendations, under normal circumstances, and that these products were stored and handled in the correct manner. The above-mentioned information is only intended to inform the user about the various properties and/or recommendations. and can in no way be considered as a guarantee with regard to the merchantability and suitability for a specific purpose in view of the continuously changing environmental factors, including the specific conditions at the building site, the use of different materials and substrates, etc. As a result, and with the exception of binding legal stipulations to the contrary, IKO cannot be held liable on the basis of the provided information, and any other written recommendations and/or advice. Please contact IKO if you have any doubts regarding the processing, the end use or the application of these products. Users are recommended to consult the most recent edition of the technical data sheet. A copy of this will be provided upon request, or can be obtained from www.ikoflexia.com.

Technical characteristics:

Weight: 112m²: 25,2kg - 27m²: 6,1 kg - 25m²: 5,6kg