

IKOpro STICKALL

PRODUCT INFORMATION

IKOpro StickAll is a dense elastomer modified bituminous sealant, adhering well to most building surfaces.

Pack Size	Product Code
310ml	2401671



USE

A bituminous mastic sealant, typically used for the pointing of lead free flashings such as IKO Flash.

APPEARANCE & PERFORMANCE

Appearance:	Liquid
Colour:	Black
Size:	310ml
Weight:	500g
Performance	
Use:	Adhesive
Coverage*:	3 linear metres
Application Temperature:	5-30°C
Shelf Life**:	3 years

* Based on a uniform 10mm² bead

** In sealed packaging

CONSTRUCTION

MATERIAL HANDLING

Please refer to relevant sections of the IKO Material Safety Data Sheet.

PRIOR TO COMMENCEMENT

Application must always follow good, safe working practice. Prior to commencing works, it is important that operatives read the IKO Material Safety Data Sheet. Additionally, it is important to be aware of all the information given by your employers Risk Assessments and understand all Method Statements produced for undertaking the work.

PREPARATION

Before commencement, the user should ensure that the receiving surfaces are sound and capable of accepting the product. Material and/or substrates should be checked for compatibility and if necessary assessed by a competent person to ascertain their suitability for bonding.

APPLICATION

Product is applied using a 310ml sized sealant gun. Prior to installing the nozzle, the cartridge tip should be cut to ensure free flow of material from cartridge into the nozzle. The nozzle should be cut to the desired bead thickness.

POST COMPLETION

Information regarding disposal of empty containers or containers with residual liquid can be found within the relevant sections of the IKO Material Safety Data Sheet.

DISCLAIMER

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice.

Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.