



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

According to EC Regulation 1907/2006  
(REACH) & 1272/2008 (CLP) & 453/2010/  
Version 3 Date of Issue 30/05/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** IKOPRO SprayFast IBA Green  
**Product number** 58800102 FP-002463, A01399 Green Canister, FP-002361, RS-002463

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive.  
**Uses advised against** Use only for intended applications.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** IKO PLC  
Head Office  
Appley Lane North  
Appley Bridge  
Wigan  
Lancashire  
WN6 9AB  
England

**1.4. Emergency telephone number:** +44 01827 69662 (NOT 24HRS - 8am-5pm mon-fri )

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Aerosol 1 - H222, H229  
**Health hazards** Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1  
- H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373  
**Environmental hazards** Not Classified

**2.2. Label elements**

**Hazard pictograms**



**Signal word**

Danger



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

<b>Hazard statements</b>	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.
<b>Precautionary statements</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
<b>Supplemental label information</b>	For the safe disposal of the canister, please refer to the appropriate technical literature EUH204 Contains isocyanates. May produce an allergic reaction. RCH002b For professional users only.
	As from 24 August 2023, adequate training is required before industrial or professional use
<b>Contains</b>	diphenylmethane-diisocyanate, isomers and homologues
<b>Supplementary precautionary statements</b>	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing spray. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P284 [In case of inadequate ventilation] wear respiratory protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/ attention. P312 Call a POISON CENTRE/doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

**2.3. Other hazards**

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

<b>diphenylmethane-diisocyanate, isomers and homologues</b> CAS number: 9016-87-9	<b>30-60%</b>
<b>Classification</b> Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373	
<b>2,2'DIMORPHOLINYLDIETHYL ETHER</b> CAS number: 6425-39-4                      EC number: 229-194-7                      REACH registration number: 01-2119969278-20-0000	<b>1-5%</b>
<b>Classification</b> Eye Irrit. 2 - H319	

The full text for all hazard statements is displayed in Section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

<b>General information</b>	Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
<b>Ingestion</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse nose and mouth with water. Place unconscious person on their side in the recovery position and ensure breathing can take place. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Skin contact</b>	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Remove contamination with soap and water or recognised skin cleansing agent. If adhesive bonding occurs, do not force skin apart. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention. If adhesive bonding occurs, do not force eyelids apart.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

**4.2. Most important symptoms and effects, both acute and delayed**



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May produce an allergic reaction. May cause damage to organs. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. May cause sensitisation or allergic reactions in sensitive individuals. Upper respiratory irritation. Harmful by inhalation. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause irritation. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
<b>Skin contact</b>	Redness. Skin irritation. May cause skin sensitisation or allergic reactions in sensitive individuals. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.
<b>Eye contact</b>	Irritation of eyes and mucous membranes.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** If adhesive bonding occurs, do not force eyelids apart. Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media** The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO). Harmful gases or vapours.

**5.3. Advice for firefighters**

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

**Personal precautions**

No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Risk of explosion. Promptly remove any clothing that becomes contaminated.

**6.2. Environmental precautions**

**Environmental precautions**

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

**6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up**

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Approach the spillage from upwind. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush away spillage with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**6.4. Reference to other sections**

**Reference to other sections**

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Usage precautions**

For professional users only. Read and follow manufacturer's recommendations. Do not handle until all safety precautions have been read and understood. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with eyes. For users with sensitive skin, it is recommended that suitable protective gloves are worn. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle broken packages without protective equipment. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin.

**Advice on general occupational hygiene**

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

**7.2. Conditions for safe storage, including any incompatibilities**



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

**Storage precautions** Store at temperatures between 10°C and 25°C. Store away from incompatible materials (see Section 10). Store in accordance with national regulations. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed and in a well-ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

**Storage class** Flammable compressed gas storage.

**7.3. Specific end use(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure controls/Personal protection**

**8.1. Control parameters**

Occupational exposure limits

**diphenylmethane-diisocyanate, isomers and homologues**

Long-term exposure limit (8-hour TWA): WEL 0.02 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 0.07 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

**diphenylmethane-diisocyanate, isomers and homologues (CAS: 9016-87-9)**

<b>Ingredient comments</b>	WEL = Workplace Exposure Limits
<b>DNEL</b>	Workers - Dermal; Short term systemic effects: 50 mg/kg Workers - Inhalation; Short term systemic effects: 0.1 mg/m <sup>3</sup> Workers - Dermal; Short term local effects: 28.7 mg/cm <sup>2</sup> Workers - Inhalation; Short term local effects: 0.1 mg/m <sup>3</sup> Workers - Inhalation; Long term systemic effects: 0.05 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 0.05 mg/m <sup>3</sup> General population - Dermal; Short term systemic effects: 25 mg/kg General population - Inhalation; Short term systemic effects: 0.05 mg/m <sup>3</sup> General population - Oral; Short term systemic effects: 20 mg/kg General population - Dermal; Short term local effects: 17.2 mg/cm <sup>2</sup> General population - Inhalation; Short term local effects: 0.05 mg/m <sup>3</sup> General population - Inhalation; Long term systemic effects: 0.025 mg/m <sup>3</sup> General population - Inhalation; Long term local effects: 0.025 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 1 mg/l - marine water; 0.1 mg/l - Soil; 1 mg/kg dry weight - STP; 1 mg/l

**2,2'DIMORPHOLINYLDIETHYL ETHER (CAS: 6425-39-4)**

<b>DNEL</b>	Workers - Inhalation; Long term systemic effects: 7.28 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 1 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 1.8 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 0.5 mg/kg bw/day Consumer - Oral; Long term systemic effects: 0.5 mg/kg bw/day
-------------	--

**PNEC**

- Fresh water; 0.1 mg/l
- marine water; 0.01 mg/l
- Intermittent release; 1 mg/l
- Sediment (Freshwater); 8.2 mg/kg
- Sediment (Marinewater); 0.82 mg/kg
- STP; 100 mg/l
- Soil; 1.58 mg/kg

**8.2. Exposure controls**

**Protective equipment**



**Appropriate engineering controls**

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure the ventilation system is regularly maintained and tested. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

**Other skin and body protection**

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures**

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

**Respiratory protection**

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. ABEK2-P3 In confined or poorly-ventilated spaces, a supplied-air respirator must be worn.





**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

**Environmental exposure controls** Keep container tightly sealed when not in use.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Aerosol.
<b>Colour</b>	Various colours.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point</b>	Not available.
<b>Initial boiling point and range</b>	Not available.
<b>Flash point</b>	Technically not feasible.
<b>Evaporation rate</b>	Not available.
<b>Evaporation factor</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	: 4 - 20.2 (R152a)
<b>Other flammability</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	> 1.1
<b>Bulk density</b>	Not available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.

**9.2. Other information**

<b>Other information</b>	No information required.
<b>Refractive index</b>	Not available.
<b>Particle size</b>	Not available.
<b>Molecular weight</b>	Not available.
<b>Volatility</b>	Not available.





## IKO(PRO) SprayFast IBA Green Canister

### Safety Data Sheet

Version 3 Date of Issue 30/05/2022

Saturation concentration Not available.

Critical temperature Not available.

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

Reactivity See the other subsections of this section for further details.

##### 10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

##### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react with the product: Oxidising agents.

##### 10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Containers can burst violently or explode when heated, due to excessive pressure build-up. Avoid heat. Water, moisture.

##### 10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong oxidising agents. Strong acids.

##### 10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Harmful gases or vapours.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

###### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

###### Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 3.42

###### Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

###### Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

###### Respiratory sensitisation

Respiratory sensitisation Sensitising.

###### Skin sensitisation

Skin sensitisation Sensitising.

###### Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

###### Carcinogenicity



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

**Carcinogenicity** Suspected of causing cancer.

**Reproductive toxicity**

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure**

**Target organs** Respiratory system, lungs

**Aspiration hazard**

**Aspiration hazard** Not relevant.

**General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May produce an allergic reaction. May cause damage to organs. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.

**Inhalation**

A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. May cause sensitisation or allergic reactions in sensitive individuals. Upper respiratory irritation.

**Ingestion**

May cause stomach pain or vomiting. May cause irritation.

**Skin contact**

Redness. Irritating to skin. May cause sensitisation or allergic reactions in sensitive individuals.

**Eye contact**

Irritation of eyes and mucous membranes.

**Acute and chronic health hazards**

Suspected of causing cancer.

**Toxicological information on ingredients.**

**2,2'DIMORPHOLINYLDIETHYL ETHER**

**Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 2,025.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** No information available.

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 3,038.0

**Species** Rabbit

**Notes (dermal LD<sub>50</sub>)** No information available.

**Acute toxicity - inhalation**

**Notes (inhalation LC<sub>50</sub>)** No information available.

**Skin corrosion/irritation**

**Skin corrosion/irritation** No information available.

**Serious eye damage/irritation**

**Serious eye damage/irritation** No information available.



## IKO(PRO) SprayFast IBA Green Canister

### Safety Data Sheet

Version 3 Date of Issue 30/05/2022

#### Respiratory sensitisation

**Respiratory sensitisation** No information available.

#### Skin sensitisation

**Skin sensitisation** No information available.

#### Carcinogenicity

**IARC carcinogenicity** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Inhalation** May be harmful if inhaled. Spray/mists may cause respiratory tract irritation.

**Ingestion** May be harmful if swallowed.

**Skin contact** May be absorbed through the skin. May be harmful in contact with skin. May cause skin irritation.

**Eye contact** May cause eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Toxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

### Ecological information on ingredients.

#### 2,2'DIMORPHOLINYLDIETHYL ETHER

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 2150 mg/l,

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: >100 mg/l, Daphnia magna

**Acute toxicity - microorganisms** EC<sub>50</sub>, 3 hours: >1000 mg/l, Bacteria

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

### 12.4. Mobility in soil

**Mobility** The product is insoluble in water. The product contains volatile substances which may spread in the atmosphere.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**

Version 3 Date of Issue 30/05/2022

**13.1. Waste treatment methods**

**General information** The generation of waste should be minimised or avoided wherever possible. Waste packaging should be collected for reuse or recycling. This material and its container must be disposed of in a safe way. Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

**Disposal methods** Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**SECTION 14: Transport information**

**14.1. UN number**

UN No. (ADR/RID) 3501

UN No. (IMDG) 3501

UN No. (ICAO) 3501

UN No. (ADN) 3501

**14.2. UN proper shipping name**

**Proper shipping name (ADR/RID)** CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (CONTAINS 1,1-Difluoroethane)

**Proper shipping name (IMDG)** CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (CONTAINS 1,1-Difluoroethane)

**Proper shipping name (ICAO)** CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (CONTAINS 1,1-Difluoroethane)

**Proper shipping name (ADN)** CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. (CONTAINS 1,1-Difluoroethane)

**14.3. Transport hazard class(es)**

ADR/RID class 2.1

ADR/RID classification code 8F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

**Transport labels**



**14.4. Packing group**

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**

No.

**14.6. Special precautions for user**

EmS F-D, S-U

ADR transport category 2

Emergency Action Code 2YE



**IKO(PRO) SprayFast IBA Green Canister  
Safety Data Sheet**  
Version 3 Date of Issue 30/05/2022

**Hazard Identification Number** 23  
(ADR/RID)

**Tunnel restriction code** (B/D)

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations** EH40/2005 Workplace exposure limits.  
The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

**Restrictions (Annex XVII  
Regulation 1907/2006)** As from 24 August 2023 adequate training is required before industrial or professional use  
Entry number: 74

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

**Revision comments** Isocyanate training statement added to supplementary label information Revised  
classification.

**Issued by** OHS&E Dept.

**Revision date** 30/05/2021

**Revision** 3

**Supersedes date** 20/09/2017

**SDS number** 58800102

**Hazard statements in full** H222 Extremely flammable aerosol.  
H229 Pressurised container: may burst if heated.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Store Between** Store Between 5°C-25°C

<b>Version History</b>	V1	June 2015	New Release in line with CLP Regulations
	V2	September 2017	Changes to propellant
	V3	May 2022	Reviewed, updated in line with supplier data

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.