

Safety Data Sheet According to EC Regulation 1907/2006 (REACH) & 1272/2008 (CLP) & 453/2010/ Version number 1.0

Revision: 24/05/2017

IKO PRO Fastick Insulation Part A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name IKOPRO Fastick PU Insulation Part A

Product number 58901001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier IKO PLC

Appley Lane North Appley Bridge Wigan Lancashire WN6 9AB

www.ikogroup.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0)1257 256864 Opening Times: 0900 - 1700 Monday to Friday

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P264 Wash skin thoroughly after handling.

P281 Use personal protective equipment as required.

P501 Dispose of contents/container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Remove affected person from source of contamination.



Safety Data Sheet According to EC Regulation 1907/2006 (REACH) & 1272/2008 (CLP) & 453/2010/ Version number 1.0

IKO PRO Fastick Insulation Part A

Inhalation Move affected person to fresh air at once.

Ingestion DO NOT induce vomiting. Get medical attention immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m3. Oxides of carbon. Oxides of nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water. Do not allow water to contact

any leaked material.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material.

6.4. Reference to other sections



Safety Data Sheet According to EC Regulation 1907/2006 (REACH) & 1272/2008 (CLP) & 453/2010/ Version number 1.0

IKO PRO Fastick Insulation Part A

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented. Wash hands and any other

contaminated areas of the body with soap and water before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 25°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection The following protection should be worn: Chemical splash goggles or face shield.

Hand protection It is recommended that gloves are made of the following material: Nitrile rubber. It should be

noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Viton rubber (fluoro

rubber).

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination. Wear

apron or protective clothing in case of contact.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Wash

hands after handling.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. If ventilation is

inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the

following cartridge: Combination filter, type A2/P3.

Environmental exposure

controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Various colours.

Odour Characteristic.

Relative density 1.03 @ 20c°C



6DIHW\'DWD 6KHHW \$FFRUGLQJ WR (& 5HJXODWLRQ 5(\$&+ &/3 9HUVLRQ QXPEHU

IKO PRO Fastick Insulation Part A

Viscosity Sinematic viscosity > 20.5 mm²/s.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable. Not relevant.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid freezing.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

SECTION 12: Ecological Information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all

surfaces.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Avoid the spillage or runoff entering drains, sewers or

watercourses.

SECTION 14: Transport information



6DIHW\'DWD 6KHHW \$FFRUGLQJ WR (& 5HJXODWLRQ 5(\$&+ &/3 9HUVLRQ QXPEHU

IKO PRO Fastick Insulation Part A

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

IMDG class

ICAO class/division

Transport labels

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο

14.6. Special precautions for user

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

Control of Pollution Act 1974.

Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Approved Classification and Labelling Guide (Sixth edition) L131.

Authorisations (Title VII

Regulation 1907/2006)

No specific authorisations are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by SHE Dept.

Revision date 24/05/2017

Revision 1

SDS status Approved.

Risk phrases in full NC Not classified.

Store Between 5'c - 25'c

Contains SVHC NO



6DIHW\ 'DWD 6KHHW \$FFRUGLQJ WR (& 5HJXODWLRQ 5(\$&+ &/3 9HUVLRQ QXPEHU

IKO PRO Fastick Insulation Part A

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.