

IKO ARMOURPLAN SG/PSG ADHERED DETAILS

PERIMETER DETAILS

ASG-1	DRIP EDGE DETAIL WITH GUTTER
ASG-2a	CHECK KERB DETAIL
ASG-2b	CHECK KERB DETAIL WITH COATED METAL
ASG-3a	ABUTMENT DETAIL TO CHASED BRICKWORK – INSULATED
ASG-3b	ABUTMENT DETAIL TO CHASED BRICKWORK – INSULATED
ASG-4	ABUTMENT DETAIL TO BRICKWORK WITH COVER FLASHING

GUTTER DETAILS

ASG-5a	BOX GUTTER / CHANGE OF LEVEL DETAIL
ASG-5b	PARAPET GUTTER DETAIL
ASG-5C	GUTTER DETAIL

OUTLET DETAILS

ASG-6a	PVC VERTICAL OUTLET
ASG-6b	PVC REFURBISHMENT OUTLET
ASG-6c	IKO TRENDY OUTLET - SINGLE PART
ASG-6d	IKO TRENDY OUTLET – DOUBLE PART
ASG-6e	IKO PARAPET OUTLET
ASG-6f	IKO EASY FLOW OUTLET
ASG-6g	IKO OVERFLOW OUTLET DETAIL

UPSTANDS AND CONSTRUCTION DETAILS


ASG-7	MANSARD DETAIL
ASG-8	ADHERED PARAPET DETAIL WITH CAPPING
ASG-8b	MECHANICALLY FIXED PARAPET DETAIL WITH CAPPING – 1 METRE OR LESS
ASG-8c	MECHANICALLY FIXED PARAPET DETAIL WITH CAPPING – 1 METRE OR MORE
ASG-8d	PARAPET DETAIL WITH COPING STONE
ASG-9	ROOFLIGHT KERB DETAIL
ASG-10	UPSTAND TO CLADDED ABUTMENT DETAIL
ASG-11	PITCHED ROOF ABUTMENT DETAIL
ASG-12	EXPANSION JOINT DETAIL
ASG-13a	LEVEL DOOR THRESHOLD WITH PAVING
ASG-13b	LEVEL DOOR THRESHOLD WITH DRAINAGE CHANNEL
ASG-14a	ADHERED PARAPET DETAIL – INSULATED
ASG-14b	ADHERED PARAPET DETAIL – UNINSULATED



PIPE AND PENETRATION DETAILS


ASG-15a	VENT PIPE / PENETRATION DETAIL
ASG-15b	HOT PIPE DETAIL


USEFUL DETAILS

ASG-16	ARMOURPLAN TO EXISTING WATERPROOFING KERB DETAIL
ASG-17	MOVEMENT DETAIL
ASG-18	RIDGE DETAIL
ASG-19	ACCESS POINT WITH SPREADER PLATE AND WALKWAY DETAIL
ASG-20	NICHOLSONS ROOFTRAK IFP DETAIL
ASG-21	LATCHWAYS MANSAFE SYSTEM DETAIL
ASG-22	STANDING SEAM




<div><p>Excellence in Polymer Technology</p><p>A member of the IKO Group</p><p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p></div>	<p>Main Tel: 01257 488000</p> <p>Technical: 01257 488012</p> <p>Email: polymeric.technical.uk@iko.com</p> <p>Web: www.ikopolymeric.co.uk</p>	<div><p>PVC</p></div>	DRAWING TITLE: DRIP EDGE DETAIL WITH GUTTER		<p>Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions.</p> <p>Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department.</p> <p>Data sheets for all IKO Polymeric and IKO PLC products are available on request.</p> <p>Project specifications are available on request.</p> <p>Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.</p>	
		DRAWING NO: ASG-1		REVISION: D		
		DATE: 14/04/2021	DRAWN BY: BQ			SCALE: NTS





 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 DRAWING TITLE: CHECK KERB DETAIL UTILIZING COATED METAL			Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.
		DRAWING NO: ASG-2b		REVISION: D	
		DATE: 14.04.2021	DRAWN BY: BQ	SCALE: NTS	



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

ABUTMENT TO BRICKWORK CHASED METAL - INSULATED

DRAWING NO:

ASG-3a

REVISION:

D

DATE:

14.04.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING NO:

ASG-4

DATE:

14.04.2021

DRAWN BY:

BQ

DRAWING TITLE:

ABUTMENT TO BRICKWORK WITH COVER FLASHING


REVISION:

D

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

BOX GUTTER / CHANGE OF LEVEL

DRAWING NO:

ASG-5a

REVISION:

D

DATE:

15.04.2021


DRAWN BY:



BQ


SCALE:



NTS


Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.






 <i>Excellence in Polymer Technology</i> A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 PVC	DRAWING TITLE: PARAPET GUTTER			Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.
		DRAWING NO: ASG-5b		REVISION: D		
		DATE: 15.04.2021		DRAWN BY: BQ		



 <p>Excellence in Polymer Technology</p> <p>A member of the IKO Group</p> <p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p>		 <p>DRAWING TITLE:</p> <p>GUTTER DETAIL</p>		Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.	
Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk		DRAWING NO: ASG-5c		REVISION: D	
DATE: 12.05.2021		DRAWN BY: BQ		SCALE: NTS	



 <p>Excellence in Polymer Technology</p> <p>A member of the IKO Group</p> <p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p>	<p>Main Tel: 01257 488000</p> <p>Technical: 01257 488012</p> <p>Email: polymeric.technical.uk@iko.com</p> <p>Web: www.ikopolymeric.co.uk</p>	 <p>PVC</p>	DRAWING TITLE: PVC VERTICAL OUTLET		<p>Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions.</p> <p>Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department.</p> <p>Data sheets for all IKO Polymeric and IKO PLC products are available on request.</p> <p>Project specifications are available on request.</p> <p>Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.</p>	
		DRAWING NO: ASG-6a		REVISION:		
		DATE: 28.06.2021	DRAWN BY: BQ			SCALE: NTS



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000
Technical: 01257 488012
Email: polymeric.technical.uk@iko.com
Web: www.ikopolymeric.co.uk



DRAWING NO: ASG-6b

DATE: 21.04.2021


DRAWING TITLE: PVC REFURBISHMENT OUTLET



REVISION: D


DRAWN BY: BQ


SCALE: NTS



Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.





<div><div><p>Excellence in Polymer Technology</p></div><div><p>A member of the IKO Group</p><p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p></div></div>		<div><div></div><div><p>DRAWING TITLE: IKO TRENDY OUTLET - SINGLE PART</p></div></div>		<p>Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.</p>	
<div><p>Main Tel: 01257 488000</p><p>Technical: 01257 488012</p><p>Email: polymeric.technical.uk@iko.com</p><p>Web: www.ikopolymeric.co.uk</p></div>		<div><p>DRAWING NO: ASG-6c</p></div>		<div><p>REVISION: D</p></div>	
<div><p>DATE: 21.04.2021</p></div>		<div><p>DRAWN BY: BQ</p></div>		<div><p>SCALE: NTS</p></div>	





 <p>Excellence in Polymer Technology</p> <p>A member of the IKO Group</p> <p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p>		 <p>DRAWING TITLE: IKO EASY FLOW OUTLET</p>		Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.	
Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk		DRAWING NO: ASM-6f	REVISION: E		
DATE: 08.01.2022		DRAWN BY: BQ	SCALE: NTS		





A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

MANSARD DETAIL

DRAWING NO:

ASG-7

REVISION:

D

DATE:

21.04.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

ADHERED PARAPET DETAIL WITH CAPPING

DRAWING NO:

ASG-8a

REVISION:

D

DATE:

22.04.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



NOTE: THIS DETAIL MUST ONLY BE USED ON UPSTANDS LESS THAN 1 METER TALL

150mm Min

Toothed Flatbar
& IKOfix Fixing

Proprietary Capping
System

Armourplan SM/P

Peel Stop Bar &
IKOfix Fixing

Hot Air Weld

Armourplan
SG/PSG

Spectrabond LF-PU,
Sprayfast FMA or IKOpro
Puma Zero Adhesive

IKO Enertherm Insulation -
thickness as specified

IKOpro HP-PU, Sprayfast
IBA or IKOpro Puma Zero
Adhesive

IKO Bituminous AVCL
with IKO Primer

Structural Deck

DRAWING TITLE: MECHANICALLY FIXED PARAPET DETAIL WITH
CAPPING SYSTEM. 1 METER OR LESS

IKO armourplan
PVC

DRAWING NO:
ASG-8b

DATE:
22.04.2021

DRAWN BY:
BQ

REVISION:
D

SCALE:
NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.

IKO polymeric
Excellence in Polymer Technology

A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ


Main Tel: 01257 488000

Technical: 01257 488012


Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk

Option 1
(Intermediate Bar)



Option 2
(Lap Fixed -
1m Sheets Only)



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING NO:
ASG-8c

DATE:
05/06/2021

DRAWN BY:

BQ


DRAWING TITLE: **MECHANICALLY FIXED PARAPET DETAIL
WITH CAPPING SYSTEM. 1 METER OR MORE**

REVISION:

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.co.uk

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

ADHERED PARAPET DETAIL WITH COPING STONE

DRAWING NO:

ASG-8d

REVISION:

DATE:

29.09.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

ROOFLIGHT KERB

DRAWING NO:

ASG-9

REVISION:

D

DATE:

22.04.2021


DRAWN BY:



BQ


SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ		 DRAWING TITLE: UPSTAND TO CLADDED ABUTMENT		Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.	
Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk		DRAWING NO: ASG-10		REVISION: D	
DATE: 22.04.2021		DRAWN BY: BQ		SCALE: NTS	



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

PITCHED ROOF ABUTMENTS

DRAWING NO:

ASG-11

REVISION:

D

DATE:

22.04.2021


DRAWN BY:



BQ


SCALE:


NTS



Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.




 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 DRAWING TITLE: EXPANSION JOINT DETAIL		Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.	
		DRAWING NO: ASG-12		REVISION: D	
		DATE: 22.04.2021	DRAWN BY: BQ	SCALE: NTS	





 <p>IKO polymeric Excellence in Polymer Technology</p> <p>A member of the IKO Group</p> <p>Coney Green Road Clay Cross Chesterfield S45 9HZ</p>	<p>Main Tel: 01257 488000</p> <p>Technical: 01257 488012</p> <p>Email: polymeric.technical.uk@iko.com</p> <p>Web: www.ikopolymeric.co.uk</p>	 <p>IKO armourplan PVC</p>	<p>DRAWING TITLE:</p> <p>LEVEL DOOR THRESHOLD WITH DRAINAGE CHANNEL</p>			<p>Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions.</p> <p>Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department.</p> <p>Data sheets for all IKO Polymeric and IKO PLC products are available on request.</p> <p>Project specifications are available on request.</p> <p>Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.</p>
		<p>DRAWING NO:</p> <p>ASG-13b</p>		<p>REVISION:</p>		
		<p>DATE:</p> <p>27.04.2021</p>	<p>DRAWN BY:</p> <p>BQ</p>	<p>SCALE:</p> <p>NTS</p>		



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

ADHERED PARAPET DETAIL - INSULATED

DRAWING NO:

ASG-14a

REVISION:

D

DATE:

22.04.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group
Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000
Technical: 01257 488012
Email: polymeric.technical.uk@iko.com
Web: www.ikopolymeric.co.uk



DRAWING TITLE: ADHERED PARAPET DETAIL - UNINSULATED

DRAWING NO: ASG-14b


REVISION: D

DATE: 22.04.2021

DRAWN BY: BQ

SCALE: NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing Instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING TITLE:

VENT PIPE / PENETRATION

DRAWING NO:

ASG-15a

REVISION:

D

DATE:

22.04.2021


DRAWN BY:

BQ

SCALE:

NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ

Main Tel: 01257 488000

Technical: 01257 488012

Email: polymeric.technical.uk@iko.com

Web: www.ikopolymeric.co.uk



DRAWING NO:

ASG-15b

DATE:

22.04.2021

DRAWN BY:

BQ

REVISION:

D


SCALE:



NTS


DRAWING TITLE:



HOT PIPE DETAIL


Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.






 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 PVC	DRAWING TITLE: PENETRATION DETAIL UTILIZING POLIMAR			Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.
		DRAWING NO: ASG-15c		REVISION:		
		DATE: 29/04/2021		DRAWN BY: BQ		





 <i>Excellence in Polymer Technology</i>	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk		DRAWING TITLE: ARMOURPLAN TO INCOMPATIBLE WATERPROOFING KERB			Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.
		DRAWING NO: ASG-16		REVISION:		
		DATE: 27.04.2021	DRAWN BY: BQ	SCALE: NTS		
A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ						




 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 PVC	DRAWING TITLE: MOVEMENT DETAIL			Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.
		DRAWING NO: ASG-17		REVISION:		
		DATE: 04.06.2021	DRAWN BY: BQ		SCALE: NTS	







CONSTANT FORCE POSTS FITTED IN
ACCORDANCE WITH LATCHWAYS DATA SHEET



A member of the IKO Group

Coney Green Road
Clay Cross
Chesterfield
S45 9HZ


Main Tel: 01257 488000
Technical: 01257 488012
Email: polymeric.technical.uk@iko.com
Web: www.ikopolymeric.co.uk





DRAWING NO: ASG-21				REVISION:	
DATE: 24/09/2021		DRAWN BY: BQ		SCALE: NTS	

DRAWING TITLE: LATCHWAYS MANSAFE POST

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.



 Excellence in Polymer Technology A member of the IKO Group Coney Green Road Clay Cross Chesterfield S45 9HZ	Main Tel: 01257 488000 Technical: 01257 488012 Email: polymeric.technical.uk@iko.com Web: www.ikopolymeric.co.uk	 DRAWING TITLE: IKO ARMOURPLAN STANDING SEAMS		Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions. Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.	
		DRAWING NO: ASG-22		REVISION:	
		DATE: 08/03/2022	DRAWN BY: BQ	SCALE: NTS	