

#### Safety Data Sheet According to EC Regulation 1907/2006 (REACH) , 1272/2008 (CLP) & 453/2010 Version number 1

Revision: 14/07/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>IKOPRO Roofcryl</u>

· 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- SU19 Building and construction work

· Application of the substance / the mixture Acrylic sealant

- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- IKO PLC Appley Lane North Appley Bridge Wigan Lancashire WN6 9AB
- *Further information obtainable from:* +44(0)1257 255771

· 1.4 Emergency telephone number: +44 (0)1257 256864 Opening Times: 0900 - 1700 Monday to Friday

**SECTION 2: Hazards identification** 

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

*Eye Irrit.* 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

· Hazard statements

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

	•			
P102	K	ep out d	of reach of	of children.

- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 $(Contd. \ on \ page \ 2)$ 

GB –



#### Safety Data Sheet According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010 Version number 1

Revision: 14/07/2016

# Trade name: IKOPRO Roofcryl

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	Flam. Liq. 3, H226	30-60%
EINECS: 203-603-9		Eye Irrit. 2, H319	
CAS: 25973-55-1	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	STOT RE 2, H373	1-5%
EINECS: 247-384-8		Aquatic Chronic 4, H413	
 <u>auto</u>			

· SVHC

CAS: 25973-55-1 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5:** Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Not applicable.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

(Contd. on page 3)

GB



#### Safety Data Sheet According to EC Regulation 1907/2006 (REACH) , 1272/2008 (CLP) & 453/2010 Version number 1

Revision: 14/07/2016

Trade name: IKOPRO Roofcryl

(Contd. of page 2)

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands: Solvent resistant gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

· Appearance:	physical and chemical properties
Form:	Viscous
Colour:	Dark grey
· Odour:	Characteristic
· pH-value:	Not determined.
· Change in condition	
Boiling point/Boiling rai	nge: Undetermined.
· Flash point:	44 °C
Ignition temperature:	315 °C
· Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

GB

(Contd. of page 3)



### Safety Data Sheet According to EC Regulation 1907/2006 (REACH) , 1272/2008 (CLP) & 453/2010 Version number 1

Revision: 14/07/2016

# Trade name: <u>IKOPRO Roofcryl</u>

• Explosion limits:	
Lower:	1,5 Vol %
Upper:	10,8 Vol %
· Vapour pressure at 20 °C:	<i>3,4 hPa</i>
· Density at 20 °C:	$1,3 \text{ g/cm}^3$
· Solubility in / Miscibility with	h
water:	Insoluble.
• organic solvents:	Miscible with many organic solvents.
· Viscosity:	
Dynamic at 20 °C:	19000 mPas
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	VOC limit value (cat A/i) 500 g/L 2010.
	Product contains 460g/L.
• 9.2 Other information	No further information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Hazardous decompositions products may be released during prolonged heating like smokes, carbon monoxide and dioxides.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	8532 mg/kg (rat)
Inhalative	LC50/4 h	35.7 mg/l (rat)
CAS: 25973-55-1 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rab)

· Skin corrosion/irritation

Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

· Serious eye damage/irritation

Causes serious eye irritation.

• *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.* 

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

 $\cdot$  **STOT-single exposure** Based on available data, the classification criteria are not met.

 $\cdot$  **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 5)

- GB

Revision: 14/07/2016



#### Safety Data Sheet According to EC Regulation 1907/2006 (REACH) , 1272/2008 (CLP) & 453/2010 Version number 1

Trade name: IKOPRO Roofcryl

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

### **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity:

#### CAS: 25973-55-1 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol

Inhalative LC50 >100 mg/l (fish) (96 h)

#### · 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG	UN1263
14.2 UN proper shipping name ADR IMDG	exemption according 2.2.3.1.5. UN 1263, Paint related material, 3, III, (D/E) UN 1263, Paint related material, 3, III, (44 °C c.c.)
IMDG	"Transport in accordance with 2.3.2.5 of the IMDG code"
14.3 Transport hazard class(es)	
ADR, IMDG	
Class	3 Flammable liquids.
14.4 Packing group	
ADR, IMDĞ	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.

Setting the Standard

### Safety Data Sheet According to EC Regulation 1907/2006 (REACH) , 1272/2008 (CLP) & 453/2010 Version number 1

Revision: 14/07/2016

# Trade name: <u>IKOPRO Roofcryl</u>

	(Contd. of page 5)
Transport/Additional information:	
·ADR	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
• Tunnel restriction code	D/E
· UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

· Other regulations, limitations and prohibitive regulations

<sup>•</sup> Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 25973-55-1 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet (SDS) is calculated with a Calculation method based on CLP Annex I, parts 2 to 5.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

· Contact:

#### uktechnical@iko.com

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINECS. European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids, Hazard Category 3

*Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2* 

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

GB