

U SPRAYFAST BLUE PU CANISTER

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** IKO SPRAYFAST BLUE PU CANISTER

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** PC1: Adhesives, sealants.

### 1.3. Details of the supplier of the safety data sheet

**Company name:** IKO PLC

IKO PLC  
Appley Lane North  
Appley Bridge, Wigan  
Lancashire WN6 9AB  
[www.ikogroup.co.uk](http://www.ikogroup.co.uk)

### 1.4. Emergency telephone number

Tel: +44 (0)1257 256864 Opening Times: 0900 - 1700 Monday to Friday

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CLP:** Carc. 2: H351; Eye Irrit. 2: H319; Resp. Sens. 1: H334; Skin Sens. 1: H317; Flam. Aerosol 1: H222; Skin Irrit. 2: H315; STOT SE 3: H335; STOT RE 2: H373

**Most important adverse effects:** Extremely flammable. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. Harmful: danger of serious damage to health by prolonged exposure through inhalation.

### 2.2. Label elements

**Label elements under CLP:**

**Hazard statements:** H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

USA SPRAYFAST BLUE PU CANISTER

H351: Suspected of causing cancer .

H222: Extremely flammable aerosol.

H373: May cause damage to organs , through prolonged or repeated exposure ,.

**Signal words:** Danger

**Hazard pictograms:** GHS07: Exclamation mark

GHS08: Health hazard

GHS02: Flame



**Precautionary statements:** P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251: Pressurized container: Do not pierce or burn, even after use.

P211: Do not spray on an open flame or other ignition source.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P281: Use personal protective equipment as required.

P285: In case of inadequate ventilation wear respiratory protection.

P501: Dispose of contents/container to national regulations.

**Precautionary phrases:** Contains isocyanates. See information supplied by the manufacturer.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

25 % by mass of the contents are flammable.

For the safe disposal of the canister, please refer to the appropriate technical literature



**Safety Data Sheet**  
**According to EC Regulation 1907/2006**  
**(REACH) & 1272/2008 (CLP) & 453/2010/**  
**Version number 1.0**

Revision: 01.06.2015

Page: 3/10

SU SPRAYFAST BLUE PU CANISTER

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

DICHLOROMETHANE - REACH registered number(s): 01-2119480404-41-

EINECS	CAS	CLP Classification	Percent
200-838-9	75-09-2	Carc. 2: H351	30-50%

DIMETHYL ETHER

204-065-8	115-10-6	Flam. Gas 1: H220; Press. Gas: H280	10-30%
-----------	----------	-------------------------------------	--------

DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES) - REACH registered number(s): 01-2119457024-46-0006, 01-2119457024-46-0007

-	9016-87-9	Carc. 2: H351; Acute Tox. 4: H332; STOT RE 2: H373; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317	1-10%
---	-----------	---	-------

ETHYL ACETATE - REACH registered number(s): 01-2119475103-46

205-500-4	141-78-6	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066	1-10%
-----------	----------	---	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

[cont...]

USA SPRAYFAST BLUE PU CANISTER

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Water spray. Alcohol or polymer foam. Carbon dioxide. Alcohol resistant foam. Water fog.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** Vapour may travel considerable distance to source of ignition and flash back. Highly flammable.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in cool, well ventilated area. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

**Suitable packaging:** Must only be kept in original packaging.

**7.3. Specific end use(s)**

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**DICHLOROMETHANE**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	350 mg/m <sup>3</sup>	1060 mg/m <sup>3</sup>	-	-

**DIMETHYL ETHER**

UK	766 mg/m <sup>3</sup>	958 mg/m <sup>3</sup>	-	-
----	-----------------------	-----------------------	---	---

**DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)**

UK	0.02 mg/m <sup>3</sup>	0.07 mg/m <sup>3</sup>	-	-
----	------------------------	------------------------	---	---

**ETHYL ACETATE**

UK	200 ppm	400 ppm	-	-
----	---------	---------	---	---

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

**Respiratory protection:** If exposure levels are likely to be exceeded, use a full face mask fitted with an organic AXP3 filter for short term low level exposures. For long term or high level exposures, compressed airline breathing apparatus should be used.

**Hand protection:** Butyl gloves. Nitrile gloves.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing.

**Environmental:** No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Aerosol

**Colour:** Blue

**Evaporation rate:** Fast

**Viscosity:** Non-viscous

**Flammability limits %: lower:** 1.8

**upper:** 9.5

**Flash point°C:** <-40

SCU SPRAYFAST BLUE PU CANISTER

**9.2. Other information**

**Other information:** Extremely flammable gas

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
 Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition. Flames.

**10.5. Incompatible materials**

**Materials to avoid:** Oxidising agents. Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Toxicity values:**

Route	Species	Test	Value	Units
DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

**Hazardous ingredients:**

**DICHLOROMETHANE**

ORL	MUS	LD50	4770	mg/kg
ORL	RAT	LD50	5350	mg/kg
SCU	MUS	LD50	6460	mg/kg

**DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)**

ORL	RAT	LD50	10,000	mg/kg
SKN	RBT	LD50	5,000	mg/kg

US SPRAYFAST BLUE PU CANISTER

**ETHYL ACETATE**

ORL	MUS	LD50	4100	mg/kg
ORL	RAT	LD50	5620	mg/kg
SCU	RAT	LDLO	5	gm/kg

**Relevant effects for mixture:**

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated
Sensitisation	INH DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:**

Species	Test	Value	Units
NOEC FRESH WATER ALGAE	-	550	mg/l
aquatic invertebrates fresh	48H LC50	27	mg/l
aquatic invertebrates marine	48H LC50	109	mg/l
fresh water fish	96H LC50	193	mg/l
marine water fish	96H LC50	97	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Only slightly biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Volatile.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

US SPRAYFAST BLUE PU CANISTER

#### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Recycling/reclamation of metals and metal compounds.

**Disposal of packaging:** Ensure containers are fully empty before discarding (explosion risk) leave the discharge valve open. Risk assess and if safe to do so fully drained containers should be pierced and then disposed of inline with local regulations. USE NON SPARKING TOOL IN A FLAME PROOF AREA IF IN DOUBT TREAT AS HAZARDOUS WASTE full or partial empty aerosol: 16 05 04. empty aerosol: 15 01 04 (dry- no residue) empty aerosol: 15 01 10 (containing hazardous residues)

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

#### 14.1. UN number

**UN number:** UN3501

#### 14.2. UN proper shipping name

**Shipping name:** CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S  
(DICHLOROMETHANE; DIMETHYL ETHER)

#### 14.3. Transport hazard class(es)

**Transport class:** 2

#### 14.4. Packing group

#### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

#### 14.6. Special precautions for user

**Special precautions:** No special precautions.

**Tunnel code:** B/D

**Transport category:** 2

### Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



USA SPRAYFAST BLUE PU CANISTER

## 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.

H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer

H373: May cause damage to organs through prolonged or repeated exposure



**Safety Data Sheet**  
**According to EC Regulation 1907/2006**  
**(REACH) & 1272/2008 (CLP) & 453/2010/**  
**Version number 1.0**

Revision: 01.06.2015

Page: 10/10

US SPRAYFAST BLUE PU CANISTER

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

**Version History.**

Version 1.0 June 1st 2015 New release for Classification, Labelling Packaging Regulations