

**IKO ULTRA T-O UNDERLAY**

**PRODUCT INFORMATION**

IKO Ultra T-O Underlay is a fully bonded torch-applied, polyester reinforced, SBS modified bitumen underlay. It has an upper surface finish of sand and a thermo-fusible film on the underside.



Surface	Product Code
Sand	62150000

**USE**

This product is for use as an underlay within an IKO high performance built up roofing system specification.

The product must be applied by an IKO Approved Installer.

All work must be undertaken in accordance with the requirements of the specific information provided with the issued IKO Specification document, or guidance documents where applicable.

**INDEPENDENT ACCREDITATION**



2797-CPR-537586



0086-CPR-745786

The product carries a Declaration of Performance Certificate and is UK Conformity Assessed.

**FEATURES & BENEFITS**

**High Performance** – Exceptional dimensional stability and tensile strength.

**High Specification** – Forms part of an IKO flat roofing specification offer.

**Polyester Reinforced** – Robust carrier material

**SBS Modification** – Low temperature flexibility

**COMPOSITION**

<b>Bitumen Modification:</b>	SBS
<b>Carrier:</b>	Polyester
<b>Form:</b>	Roll
<b>Colour:</b>	Sanded
<b>Length:</b>	12m
<b>Width:</b>	1m
<b>Mass/Weight:</b>	3.167kg/m <sup>2</sup>
<b>Roll Weight:</b>	38kg
<b>Surface Finishes:</b>	(upper) Sand (lower) Thermo-fusible film
<b>Selvedge:</b>	(upper) 75mm

**INSTALLATION**

<b>Membrane Bond:</b>	Torch applied
<b>Lap Bond:</b>	Torch applied

**PERFORMANCE**

For key product performance characteristics, please refer to the [IKO Declaration of Performance \(DoP\)](#)

**DISCLAIMER**

As this product is utilised within an Approved Contractor network and guided by an IKO Specification document, where omission or differing information exists the IKO Specification document will take precedence.

Whilst every precaution is taken to ensure that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserve the right to amend and/or withdraw this document without notice. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was issued.