IKOfix Peelstop Bar

Technical Data Sheet – Section 16.20

PRODUCT INFORMATION



Used for securing the Armourplan SG/PSG or Spectraplan SG membrane at the perimeter of a fully adhered single ply roofing system.

Should be installed at the roof perimeter, base of upstands and penetrations, and at all changes in direction using suitable IKOfix fasteners in accordance with IKO technical guidelines.

All work must be undertaken in accordance with the requirements of the specific information provided with the issued IKO Specification document, or guidance documents where applicable.

SPECIFICATION

Product Number	05490215
Material	Steel
Length	2125mm
Width	30mm
Thickness	0.8mm
Hole Diameter	6.5mm/15mm
Gauge	0.8mm
Gauge Tolerance	±0.07mm
Length Tolerance	±3.0mm
General Tolerance	±0.4mm





IKO PLC is a company registered in England with company no. 2678296

INSTALLATION

Position the IKOfix Peelstop Bar and secure using suitable IKOfix fasteners at maximum centres of 265mm or as per the IKO Polymeric wind uplift calculation.

Allow a 10mm gap between lengths of IKOfix Peelstop Bar. Cover the bar ends with a sacrificial layer of membrane to protect the waterproofing from sharp edges.





OTHER RELEVENT DOCUMENTATION

Where applicable, Material Safety Data Sheets (MSDS), Declaration of Performances (DoPs), and Third-Party Accreditations are available to view and download from the IKO website Resource Centre:
https://ikogroup.co.uk/resource-centre/

PRODUCT SUPPORT

Should you have any queries in relation to this product please contact one of the relevant teams below:

Technical technical.ab@iko.com
- For Reinforced Bitumen Membranes, IKOpro and Flexia Liquid Applied Waterproofing, Pitched Roofing, IKO Hyload Structural Waterproofing

technical.ma@iko.com
- For Mastic Asphalt

technical.cc@iko.com
- For Single Ply and Permatec Hot Melt

Sales sales.uk@iko.com
Marketing getintouch.uk@iko.com

COMPANY ACCREDITATIONS

IKO PLC, a roofing, waterproofing, and insulation company, holds various accreditations that demonstrate its commitment to quality, safety, and environmental responsibility. These include ISO certifications for quality management and occupational health and safety, British Board of Agrément (BBA) accreditations for specific products and systems, and Factory Mutual (FM) approval for certain roofing systems.

All our manufacturing plants have BS EN ISO 9001, BS EN ISO 14001, BS EN ISO 45001, BES 6001, and PAS 2080 accreditation, meaning we match the quality and sustainability requirements and use responsibly sourced raw materials in our production. We also re-use by-products from manufacture, wrap products in minimal packaging, and we employ a streamlined transportation network.

IKO PLC is a company registered in England with company no. 2678296

IKO is also a leading member of all relevant trade associations such as NFRC, BFRA, SPRA, LRWA, MAC, RSTA, BJA and LCRIG having technical experts within the technical and standards committees to help us get informed first-hand about recent updates on technical requirements for the design and installation of roofing, waterproofing, road and bridge maintenance industry products.

DISCLAIMER

Whilst every precaution is taken to ensure that the information given in this literature is correct and up-to-date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded.

IKO reserves the right to amend and/or withdraw this document without notice.

Intending purchasers of our materials should therefore verify with the company whether any changes in our specification, application details, withdrawals or otherwise have taken place since this literature was published.

IKO PLC is a company registered in England with company no. 2678296